

547
131

downloading the manipulated information from the server to the second apparatus for storage in a second database (124) of the second apparatus for use in the second apparatus, wherein the manipulated information can be automatically entered into the second database for use by an application in the second apparatus requiring a predetermined data format regardless of communication compatibility between the first apparatus and the second apparatus.

A1
Concl.

2. (Once Amended) The method of claim 1, wherein:

the first apparatus performs first communication functionalities using data stored in the first data base; and

the second apparatus performs second communication functionalities using data stored in the second database.

547
B2

8. (Once Amended) A method of providing a service for enabling to transfer information in a first database (108) of a first electronic apparatus (102) to a second apparatus (104), comprising:

A2
Cont.

enabling to upload information from a first apparatus to a server (106), the information stored in a first database of the first apparatus for use in the first apparatus, and the server accessible by a second apparatus;

enabling to manipulate the information at the server; and

enabling to download the manipulated information from the server to the second apparatus for storage in a second database (124) of the second apparatus for use in the second apparatus,

345
132
A2
Cancel

wherein the manipulated information can be automatically entered into the second database for use by an application requiring a predetermined data format regardless of communication compatibility between the first apparatus and the second apparatus.

A3

10. (Once Amended) The method of claim 8, wherein

the first apparatus performs first communication functionalities using data stored in the first data base; and

the second apparatus performs second communication functionalities using data stored in the second data base

543
133

11. (New) A method for transferring data in a database of a first mobile terminal to a second mobile terminal, comprising:

providing a common server accessible to a first mobile terminal and a second mobile terminal, the first mobile terminal having at least a first application and associated first database for use in the first mobile terminal, and the second mobile terminal having at least a second application and associated second database for use in the second mobile terminal;

retrieving and uploading data from the first application's first database to the common server;

converting the uploaded data to conform to a use of the second application and associated second database;

downloading the converted data automatically into the second database for use by the second application.

AA
Cont.